


## Price List

### Ground Support Equipment Services

A photograph showing the underside of a large aircraft on a tarmac. A ground crew member in a high-visibility yellow vest is working near the landing gear. Various ground support equipment (GSE) vehicles and equipment are visible around the aircraft.

We provide reliable Ground Support Equipment (GSE) services to keep your aviation operations running safely and efficiently. Our team handles maintenance, repairs, inspections, and testing to ensure maximum equipment performance and minimal downtime. With a focus on safety, compliance, and dependability, we deliver solutions that keep your ground operations moving smoothly

S/N	Item Code	Equipment Name	Specifications	Rate (USD/hour)	Image
1	TIM-012	Economic Manual Stacker	Load: 2000 kg; Elevation: 2.2 m	50	
2	TIM-013	Air-Conditioning Unit	Flow: 400 lb/min; Max PSI: 400; Diesel; Output: 480/3/60	300	
3	TIM-014	De-Icing Truck	Load: 18,000 kg; Elevation: 6–10 m; Capacity: 8,000–15,000 L	400	
4	TIM-015	Tow Tug	Power: 184 kW; Aircraft ≤300 tons	400	
5	TIM-016	Aircraft Wheel Dolly	Hydraulic; For wheels & brakes	50	
6	TIM-017	Aircraft Wheel Dolly	Hydraulic; For wheels & brakes	50	

S/N	Item Code	Equipment Name	Specifications	Rate (USD/hour)	Image
7	TIM-018	Landing Gear Jack	Load Capacity: 65 tons	150	
8	TIM-019	Landing Gear Jack	Load Capacity: 65 tons	150	
9	TIM-020	Nitrogen Cart	400–4000 PSI; Inlet: 6000 PSI; Weight: 460 kg	200	
10	TIM-021	Aircraft Maintenance Step	3 m × 1.3 m × 6 m	50	
11	TIM-022	Hi-Loader	Load: 7600 kg; Height: 1–5 m	400	
12	TIM-023	Aircraft Maintenance Step	1.4 m × 1.1 m × 2.7 m	50	

S/N	Item Code	Equipment Name	Specifications	Rate (USD/hour)	Image
13	TIM-024	Aircraft Maintenance Step	3 m × 1.3 m × 6 m	50	
14	TIM-025	Aircraft Maintenance Step	3 m × 1.3 m × 6 m	50	
15	TIM-026	Ground Power Unit	400 Hz; 115/200V AC; 28V DC; 180 KVA	150	
16	TIM-027	Ground Power Unit	400 Hz; 115/200V AC; 28V DC; 180 KVA	150	
17	TIM-028	Tower Light	50 Hz; 1500 RPM; 400V; 3-Phase; 76 kg	200	
18	TIM-029	Boom Lift	Height: 21.38 m; Outreach: 12.30 m; Load: 250–360 kg	200	

S/N	Item Code	Equipment Name	Specifications	Rate (USD/hour)	Image
19	TIM-030	Aircraft Maintenance Stairs	4.7 m × 3.4 m × 6 m	50	
20	TIM-031	Aircraft Maintenance Step	2 m × 1.3 m × 6 m	50	
21	TIM-032	Adjustable Maintenance Steps	Height: 1.7–2.8 m; Width: 1 m; Length: 1 m	50	
22	TIM-033	Scissor Lift	Height: 1–5.8 m; Width: 0.8 m; Length: 1.6 m; Capacity: 230 kg	200	
23	TIM-034	Scissor Lift	Height: 1–5.8 m; Width: 0.8 m; Length: 1.6 m; Capacity: 230 kg	200	
24	TIM-035	Fork Lift	Lift: 7000 kg; Height: 4 m; Truck Weight: 10,579 kg	300	